




V-ZUG Australia Pty. Ltd

2/796 High Street East Kew Vic 3102, VICTORIA/Australia

Phone +61 (03) 9832 7500

service.au@vzug.com, www.vzug.com

## Brochure GAS641GSBZ



### **Selected product**

- Article no.: 3107165405
- EAN code: 7630029415474
- Type: GAS641GSBZ
- Product category: Hob
- Standard width: 60 cm
- Front design: BlackDesign
- Frame: DualDesign



## Details GAS641GSBZ

### Compliant to regulation

- GB 21456-2008: No

### Design

- Type: GAS641GSBZ
- Product category: Hob
- Standard width: 60 cm
- Front design: BlackDesign
- Frame: DualDesign

### Dimensions

- Appliance height: 145 mm
- Appliance width: 571 mm
- Appliance depth: 501 mm
- Appliance corner radius: 1.5 mm
- Support size width: 560 mm
- Max. support size width: 560 mm
- Support size depth: 490 mm
- Max. support size depth: 490 mm
- Installation height when flush-fitted: 98 mm
- Installation height when surface-mounted: 94 mm
- Cut-out width when flush-mounted: 577 mm
- Cut-out width when surface-mounted: 560 mm
- Max. cut-out width when surface-mounted: 560 mm
- Cut-out depth when flush-mounted: 507 mm
- Cut-out depth when surface-mounted: 490 mm
- Max. cut-out depth when surface-mounted: 490 mm
- Empty weight: 14.8 kg
- Cooking zone 1 position: front left
- Cooking zone 2 position: rear left
- Cooking zone 3 position: rear right
- Cooking zone 4 position: front right

### Display and operation

- Display: Digital display
- Controls: Multi-Slider/direct selection
- Slider control
- Operating time
- Languages in display: -
- Button sound (on/off)

### Energy

- Cooking zone 1 max. power: 1806 W
- Cooking zone 2 max. power: 1806 W
- Cooking zone 3 max. power: 3194 W
- Cooking zone 4 max. power: 1111 W
- Type of connection (1): 220-240 V~
- Frequency (1): 50-60 Hz
- Connected loads (1): 0.02 kW
- Fuse protection (1): 3 A
- Plug type: AS/NZS\_3112
- Connection cable: 1.7 m

### Hob features

- Hob category: gas
- Operating time with shut-down function
- Residual heat indicator
- Timer
- Restore function
- Cooking zones: 4
- Power levels: 9
- EcoStandby
- Gas-Technology: natural gas 10 mbar



### **Functions**

- Warming function
- Bridging function
- Safety package
- Pause button
- Automatic warm-up function
- Cleaning lock
- Melt function
- Simmer function
- Childproof lock

### **Additional data**

- Burner type 1: standard burners
- Burner type 2: standard burners
- Burner type 3: rapid burner
- Burner type 4: Economy burner
- Feature level: 5