




V-ZUG Ltd

Industriestrasse 66, P.O.Box, 6302 Zug/Switzerland

Phone +41 58 767 67 67

info@vzug.com, www.vzug.com

Brochure Supremo HSL



Selected product

- Article no.: 2500200002
- EAN code: 7630029404812
- Type: CCSHSL60
- Product category: Coffee-Centre
- Standard width: 60 cm
- Standard height: 38.1 cm
- Front design: Black mirror glass



Details Supremo HSL

Additional settings

- Hot milk
- Milk froth
- User-controlled descaling

Design

- Type: CCSHSL60
- Product category: Coffee-Centre
- Standard width: 60 cm
- Standard height: 38.1 cm
- Front design: Black mirror glass

Dimensions

- Niche height: 374 mm
- Max. niche height: 374 mm
- Niche width: 600 mm
- Max. niche width: 600 mm
- Niche depth: 550 mm
- Appliance height: 378 mm
- Max. appliance height: 378 mm
- Appliance width: 596 mm
- Appliance depth: 412 mm
- Empty weight: 20.5 kg

Display and operation

- Display: plain text
- Controls: TouchControl
- Number of languages in display: 11
- Languages in display: de, en, fr, it, nl, no, ru, sv, tr, uk, zh
- Lighting: LED
- Number of lights: 2

Energy

- Output - standby off: 0.5 W
- Consumption when off: 0 W
- Energy efficiency: A
- Annual energy consumption: 63 kWh
- Type of connection (1): 220-240 V~
- Frequency (1): 50-60 Hz
- Connected loads (1): 1.35 kW
- Fuse protection (1): 10 A
- Plug type: CH Typ 12
- Connection cable: 1.8 m

CoffeeCenter features

- Coffee bean holder capacity: 200 g
- Milk container capacity: 0.8 l
- Waste grounds container capacity: 14
- Grinder: silent conical grinder
- Programmable brewing temperature
- Programmable operating time / switch-off time
- Programmable water hardness
- Drip guard
- Water tank: 1.8 l
- Adjustable grinder setting levels: 13
- Height-adjustable dispensing head: 80-110 mm
- Integrated cleaning programme
- Programmable quantities
- Powder / beans selection button
- EcoStandby

**Functions**

- Integrated cleaning programme
- 1 cup
- 2 cups
- Espresso
- Coffee
- Cappuccino
- Latte macchiato
- Caffé latte
- Hot water

Additional data

- Feature level: 5

Service and interfaces

- Warranty: 2 years