



V-ZUG Ltd

Industriestrasse 66, P.O.Box, 6302 Zug/Switzerland

Phone +41 58 767 67 67

info@vzug.com, www.vzug.com

Brochure Combair V200 7UHC



Energy efficiency class



Selected product

- Article no.: 2202300007
- EAN code: 7630029463680
- Type: CH2H57UK4VN
- Product category: Cooker
- Installation in floor unit
- Standard width: 55 cm
- Standard height: 76.2 cm
- Front design: Nero
- Handle: Nero
- Cooking space: Brilliant enamel
- Drawer: Appliance drawer





Details Comhair V200 7UHC

Compliant to regulation

- (EU) Nr. 65/2014

Design

- Type: CH2H57UK4VN
- Product category: Cooker
- Installation in floor unit
- Standard width: 55 cm
- Standard height: 76.2 cm
- Front design: Nero
- Handle: Nero
- Cooking space: Brilliant enamel
- Drawer: Appliance drawer

Dimensions

- Niche height: 762 mm
- Max. niche height: 763 mm
- Niche width: 550 mm
- Max. niche width: 550 mm
- Niche depth: 580 mm
- Appliance height: 759 mm
- Max. appliance height: 760 mm
- Appliance width: 548 mm
- Appliance depth: 569 mm
- Depth of appliance when door is open: 483 mm
- Empty weight: 44 kg

Display and operation

- Display: visual operating display (LED)
- Controls: dial
- Lighting: Halogen
- Number of lights: 1

Energy

- Measurement and Calculation Method: EN60350-1
- Consumption when off: 0.15 W
- Operating voltage: 230 V
- Energy efficiency class: A
- Energy consumption - conventional cooking: 0.8 kWh
- Type of connection (1): 230 V~
- Type of connection (2): 400 V 2N~
- Type of connection (3): 400 V 3N~
- Frequency (1): 50 Hz
- Frequency (2): 50 Hz
- Frequency (3): 50 Hz
- Nominal power, oven: 2.3 kW
- Connected loads (1): 9.4 kW
- Connected loads (2): 9.4 kW
- Connected loads (3): 9.4 kW
- Fuse protection (1): 16 A
- Fuse protection (2): 25 A
- Fuse protection (3): 16 A
- Plug type: socket

Features

- Number of insertion levels: 4
- Installation in floor unit
- Easy door cleaning: by disassembling the door
- Premium Swiss Quality
- SoftClose
- SoftOpen
- Panel height: 124 mm
- Combined operation: Oven
- Cooking space volume: 69 l
- Max. temperature setting with top/bottom heat: 280 °C
- Number of controllable cooking zones: 4
- Operation of cooking zones: Dial





Oven features

- Number of insertion levels: 4
- Installation in floor unit
- Easy door cleaning: by disassembling the door
- Premium Swiss Quality
- SoftClose
- SoftOpen
- Panel height: 124 mm
- Combined operation: Oven
- Cooking space volume: 69 l
- Max. temperature setting with top/bottom heat: 280 °C

Functions

- Top heat
- Top & bottom heat Eco programme
- Top/bottom heat
- Humid top/bottom heat
- Bottom heat

Additional data

- Feature level: 1

Service and interfaces

- Warranty: 2 years

