

# V-ZUG Ltd

Industriestrasse 66, P.O.Box, 6302 Zug/Switzerland Phone +41 58 767 67 67 info@vzug.com, www.vzug.com

# Brochure Combair V400 6UH





# Selected product

- Article no.: 2202900009

- EAN code: 7630029463567

- Type: CH4H-22029

- Product category: Cooker

- Installation in floor unit

- Standard width: 60 cm

- Standard height: 60 cm

- Front design: White

- Handle: white

- Cooking space: Brilliant enamel

- Drawer: Without appliance drawer



# Details Combair V400 6UH

# Compliant to regulation

- (EU) Nr. 65/2014

### Design

- Type: CH4H-22029

- Product category: Cooker

- Installation in floor unit

- Standard width: 60 cm

- Standard height: 60 cm

- Front design: White

- Handle: white

- Cooking space: Brilliant enamel

- Drawer: Without appliance drawer

#### **Dimensions**

- Niche height: 600 mm

- Max. niche height: 600 mm

- Niche width: 560 mm

- Max. niche width: 568 mm

- Niche depth: 550 mm

- Appliance height: 598 mm

- Max. appliance height: 599 mm

- Appliance width: 596 mm

- Appliance depth: 569 mm

- Depth of appliance when door is open: 439 mm

- Empty weight: 37 kg

#### Display and operation

- Display: Control panel with LED status display

- Controls: dial

- Lighting: Halogen

- Number of lights: 2

- Electronic clock timer

# **Energy**

- Measurement and Calculation Method: EN60350-1

- Output - standby off: 0.31 W

- Consumption when off: 0 W

- Automatic shut-off consumption with network switched

on: 1.3 W

- Energy efficiency class: A

- Energy consumption - conventional cooking: 0.95 kWh

- Energy consumption - convection/hot air cooking: 0.8

kWh

- Type of connection (1): 400 V 3~

- Type of connection (2): 400 V 2~

- Frequency (1): 50 Hz

- Frequency (2): 50 Hz

- Nominal power, oven: 3.3 kW

- Connected loads (1): 11.3 kW

- Connected loads (2): 11.3 kW

- Fuse protection (1): 16 A

- Fuse protection (2): 20 A

- Plug type: socket

#### **Features**

- Number of insertion levels: 4

- Installation in floor unit

- Easy door cleaning: by disassembling the door

- Premium Swiss Quality

- Acoustic signals

- SoftClose

- SoftOpen

- Time of day display

- Panel height: 124 mm

- Combined operation: Oven

- Cooking space volume: 69 l

g change common and a

- Max. temperature setting with top/bottom heat: 280 °C

 Max. temperature setting with forced convection/hot air: 280 °C

- Number of controllable cooking zones: 4

- Operation of cooking zones: Dial



#### Oven features

- Number of insertion levels: 4
- Installation in floor unit
- Easy door cleaning: by disassembling the door
- Premium Swiss Quality
- Acoustic signals
- SoftClose
- SoftOpen
- Time of day display
- Panel height: 124 mm
- Combined operation: Oven
- Cooking space volume: 69 l
- Max. temperature setting with top/bottom heat: 280 °C
- Max. temperature setting with forced convection/hot air: 280 °C

#### **Functions**

- Grill
- Convection grill
- Hot air
- Humid hot air
- Hot air Eco programme
- Plate warming
- Top & bottom heat Eco programme
- Top/bottom heat
- Humid top/bottom heat
- Bottom heat
- PizzaPlus
- Fast heating

# **Additional data**

- Feature level: 2

# Service and interfaces

- Frequency range: 2,4 GHz

- WLAN as standard: 802.11 b/g/n

- Warranty: 2 years

- V-ZUG-Home

- Interface: WLAN and Bluetooth