



V-ZUG Ltd

Industriestrasse 66, P.O.Box, 6302 Zug/Switzerland

Phone +41 58 767 67 67

info@vzug.com, www.vzug.com

## Brochure Combair V400 6UH



Energy efficiency class



### Selected product

- Article no.: 2202900012
- EAN code: 7630029463536
- Type: CH4H-22029
- Product category: Cooker
- Installation in floor unit
- TopClean
- Standard width: 60 cm
- Standard height: 60 cm
- Front design: White
- Handle: white
- Cooking space: Brilliant enamel
- Drawer: Without appliance drawer





## Details Comhair V400 6UH

### Compliant to regulation

- (EU) Nr. 65/2014

### Design

- Type: CH4H-22029
- Product category: Cooker
- Installation in floor unit
- TopClean
- Standard width: 60 cm
- Standard height: 60 cm
- Front design: White
- Handle: white
- Cooking space: Brilliant enamel
- Drawer: Without appliance drawer

### Dimensions

- Niche height: 600 mm
- Max. niche height: 600 mm
- Niche width: 560 mm
- Max. niche width: 568 mm
- Niche depth: 550 mm
- Appliance height: 598 mm
- Max. appliance height: 599 mm
- Appliance width: 596 mm
- Appliance depth: 569 mm
- Depth of appliance when door is open: 439 mm
- Empty weight: 37 kg

### Display and operation

- Display: Control panel with LED status display
- Controls: dial
- Lighting: Halogen
- Number of lights: 2
- Electronic clock timer

### Energy

- Measurement and Calculation Method: EN60350-1
- Output - standby off: 0.9 W
- Output - standby on: 2 W
- Consumption when off: 0.4 W
- Automatic shut-off consumption with network switched on: 2 W
- Operating voltage: 400 V
- Energy efficiency class: A
- Energy consumption - conventional cooking: 0.95 kWh
- Energy consumption - convection/hot air cooking: 0.8 kWh
- Type of connection (1): 400 V 3~
- Type of connection (2): 400 V 2~
- Frequency (1): 50 Hz
- Frequency (2): 50 Hz
- Nominal power, oven: 3.3 kW
- Connected loads (1): 11.3 kW
- Connected loads (2): 11.3 kW
- Fuse protection (1): 16 A
- Fuse protection (2): 20 A
- Plug type: socket





### Features

- Number of insertion levels: 4
- Installation in floor unit
- Easy door cleaning: by disassembling the door
- Premium Swiss Quality
- Acoustic signals
- SoftClose
- SoftOpen
- Time of day display
- Panel height: 124 mm
- Combined operation: Oven
- TopClean
- Cooking space volume: 69 l
- Max. temperature setting with top/bottom heat: 280 °C
- Max. temperature setting with forced convection/hot air: 280 °C
- Number of controllable cooking zones: 4
- Operation of cooking zones: Dial

### Oven features

- Number of insertion levels: 4
- Installation in floor unit
- Easy door cleaning: by disassembling the door
- Premium Swiss Quality
- Acoustic signals
- SoftClose
- SoftOpen
- Time of day display
- Panel height: 124 mm
- Combined operation: Oven
- TopClean
- Cooking space volume: 69 l
- Max. temperature setting with top/bottom heat: 280 °C
- Max. temperature setting with forced convection/hot air: 280 °C

### Functions

- Grill
- Convection grill
- Hot air
- Humid hot air
- Hot air Eco programme
- Plate warming
- Top & bottom heat Eco programme
- Top/bottom heat
- Humid top/bottom heat
- Bottom heat
- PizzaPlus
- Fast heating

### Additional data

- Feature level: 2

### Service and interfaces

- Frequency range: 2,4 GHz
- WLAN as standard: 802.11 b/g/n
- Warranty: 2 years
- V-ZUG-Home
- Interface: WLAN and Bluetooth

