



V-ZUG Ltd

Industriestrasse 66, P.O.Box, 6302 Zug/Switzerland

Phone +41 58 767 67 67

info@vzug.com, www.vzug.com

Brochure Tumble dryer V400



Selected product

- Article no.: 1203500000
- EAN code: 7630029488270
- Type: TD4H-12035
- Product category: Tumble dryer
- Front design: White
- Door hinge: Left



Details Tumble dryer V400

Additional settings

- Down programme

Design

- Type: TD4H-12035
- Product category: Tumble dryer
- Front design: White
- Door hinge: Left

Dimensions

- Appliance height: 846 mm
- Max. appliance height: 866 mm
- Appliance width: 598 mm
- Appliance depth: 608 mm
- Depth of appliance when door is open: 1075 mm
- Appliance depth including distance to wall: 608 mm
- Door opening angle: 140 °
- Pumping height for drain pump: 0.8 m
- Empty weight: 44 kg

Display and operation

- Display: Digital display
- Controls: dial
- Remaining time display
- Number of languages in display: 2
- Languages in display: de-DE, fr-FR

Energy

- Energy efficiency class: C
- Energy consumption in the eco programme with partial filling: 0.81 kWh
- Energy consumption in the eco programme when fully loaded: 1.44 kWh
- Consumption when off: 0 W
- Annual energy consumption: 176.8 kWh
- Condensation efficiency class: A
- Type of connection (1): 220-240 V~
- Frequency (1): 50 Hz
- Connected loads (1): 0.8 kW
- Fuse protection (1): 10 A
- Plug type: CH Typ 12
- Connection cable: 1.6 m

Wäschetrockner

- Cotton eco
- Power consumption when not switched off: 1.0 W

Dryer features

- Build: Front loader
- Condensation drip tray
- Cupboard drying
- House type: Single-family home
- Free-standing appliance, stackable
- Nominal capacity: 8 kg
- Drum volume: 110 l
- Programmes: 15
- Number of storable programmes: 0
- Opening: 39.5 cm
- Residual moisture sampling
- Technology: Heat pump
- Free-standing appliance with worktop

Nicht sichtbare Attribute

- Wardrobe dry
- Extra dry



Functions

- Cotton eco
- Fabric programmes
- SilentPlus
- Time drying
- Baby garments
- Airing
- Wool
- Iron dry
- Damp
- Anti-crease
- Crease guard
- Easy care
- Childproof lock

Additional data

- Average condensation efficiency of the eco programme with partial filling: 91.0
- Average condensation efficiency of the eco programme at full load: 91.0
- Weighted condensation efficiency of the eco programme: 91.0
- IP Number: IPX4
- Refrigerant: R290
- Amount of refrigerant: 0.149 kg
- Condensation efficiency class: A
- Power consumption in off mode (Po): 0.47 W
- Airborne noise emission during the eco programme: 64.0 dB(A)
- Airborne acoustical noise emission class: B
- Drain hose: 1.6 m
- Feature level: 3

Service and interfaces

- Warranty: 2 years